

Safety Data Sheet

1. Identification

Product Information. 109642

Product Name: ODORx Last Resort Plus

Recommended Use. Professional Deodorizer

Uses advised against. Professional Use Only

Supplier. Legend Brands
ProRestore Products
15180 Josh Wilson Road
Burlington, WA 98233
E-Mail: sds@legendbrands.com
800-932-3030

Legend Brands
4520 Eastgate Parkway
Mississauga, ON L4W 3W6
800-932-3030

Emergency telephone number. INFOTRAC 1-800-535-5053 (North America)
+1-352-323-3500 (International)

2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910.1200

This product is not classified as hazardous according to GHS classification criteria.

GHS Pictograms

None required.

Signal Word

Not required.

Unknown Acute Toxicity

7.3% of the mixture consists of ingredient(s) of unknown acute toxicity

3. Composition/Information on Ingredients

<u>Chemical Name</u>	<u>CAS-No.</u>	<u>Wt. %</u>
Diethyl Phthalate	84-66-2-LB	1.0-2.5
Pine Oil	8002-09-3	1.0-2.5
Terpineol acetate	8007-35-0	1.0-2.5
alpha-terpineol	98-55-5	1.0-2.5
BENZENE, 1,1'-OXYBIS-	101-84-8	1.0-2.5
BENZYL BENZOATE	120-51-4	1.0-2.5
AMYL ACETATE	628-63-7	1.0-2.5
SODIUM LAURYL SULFATE	151-21-3	1.0-2.5

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid Measures

Description of first-aid measures.

General advice.

Call a physician if irritation develops or persists. When symptoms persist or in all cases of doubt seek medical advice.

Inhalation.

Move to fresh air.

Skin contact.

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes.

Eye contact.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contact lenses, if present.

Ingestion.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Gently wipe or rinse the inside of the mouth with water.

Symptoms.

See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

Notes to physician.

Treat symptomatically.

5. Fire-fighting Measures

Extinguishing media.

Suitable extinguishing media.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which shall not be used for safety reasons.

High volume water jet.

Special hazards arising from the substance or mixture.

No information available.

Advice for firefighters.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.

Personal precautions.

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe vapors or spray mist.

Advice for emergency responders.

Use personal protection recommended in Section 8.

Environmental precautions.

Prevent product from entering drains. See Section 12 for additional Ecological information.

Methods and materials for containment and cleaning up.

Methods for Containment.

Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers.

Methods for cleaning up.

Use personal protective equipment as required.

Reference to other sections.

See section 8 for more information.

7. Handling and Storage

Conditions for safe storage, including any incompatibilities.

Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures.

See section 7 for more information.

Storage Conditions.

Keep containers tightly closed in a cool, well-ventilated place.

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

<u>Chemical Name</u>	<u>ACGIH TLV-TWA</u>	<u>ACGIH-TLV STEL</u>	<u>OSHA PEL-TWA</u>	<u>OSHA PEL-CEILING</u>
BENZENE, 1,1'-OXYBIS-	1 ppm	2 ppm	1 ppm	N.E.
AMYL ACETATE	50 ppm	100 ppm	100 ppm	N.E.

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

Engineering Measures.

Showers, eyewash stations, and ventilation systems.

Personal protective equipment.

Eye/Face Protection.

Safety glasses with side-shields.

Skin and body protection.

Wear suitable protective clothing.

Respiratory protection.

In case of insufficient ventilation wear suitable respiratory equipment.

9. Physical and chemical properties.

Information on basic physical and chemical properties.

Physical state	Liquid
Appearance	milky
Color	white
Odor	Aromatic
Odor Threshold	No Information
pH	5.3
Melting/freezing point., °C (°F)	No Information
Flash Point., °C (°F)	94 (201.20)
Boiling point/boiling range., °C (°F)	77 (170.6)
Evaporation rate	No Information Available
Explosive properties.	No Information
Vapor pressure.	No Information
Vapor density.	No Information
Specific Gravity. (g/cm ³)	1.000
Water solubility.	Miscible with water
Partition coefficient.	No Information
Autoignition temperature., °C	No Information
Decomposition Temperature °C.	No Information
Viscosity, kinematic.	No Information

Other information.

Volatile organic compounds (VOC) content.	0.05 lb/gal
---	-------------

Density, lb/gal

8.300

10. Stability and Reactivity

Reactivity.

Stable under normal conditions.

Chemical stability.

Stable under recommended storage conditions.

Possibility of hazardous reactions.

None known based on information supplied.

Conditions to Avoid.

None known.

Incompatible Materials.

None known based on information supplied.

Hazardous Decomposition Products.

None known.

11. Toxicological Information

Information on toxicological effects.

Acute toxicity.

Product Information

No Information

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral)	21,718.1 mg/kg
ATEmix (dermal)	8,194.7 mg/kg
ATEmix (inhalation - dust/mist)	384.33 mg/l

Component Information.

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>LD50 Oral</u>	<u>LD50 Dermal</u>	<u>LC50 Inhalation</u>
84-66-2-LB	Diethyl Phthalate	8600	11200	N.I.
8002-09-3	Pine Oil	3200 mg/kg Rat	400 mg/kg Rabbit	>3.79 mg/L Rat (Vapor)
98-55-5	alpha-terpineol	5170 mg/kg Rat	>2000 mg/kg Rat	N.I.
101-84-8	BENZENE, 1,1'-OXYBIS-	2450 mg/kg Rat	>7940 mg/kg Rabbit	N.I.
120-51-4	BENZYL BENZOATE	500 mg/kg Rat	4000 mg/kg Rabbit	N.I.
628-63-7	AMYL ACETATE	7400	N.I.	N.I.
151-21-3	SODIUM LAURYL SULFATE	1288 mg/kg Rat	200 mg/kg Rabbit	>3.9 mg/L Rat (Dust)

N.I. = No Information

Skin corrosion/irritation.

SKIN IRRITANT.

Eye damage/irritation.

No Information

Respiratory or skin sensitization.

No Information

Ingestion.

No Information

Germ cell mutagenicity.

No Information

Carcinogenicity.

No Information

Reproductive toxicity.

No Information

Specific target organ systemic toxicity (single exposure).

No Information

Specific target organ systemic toxicity (repeated exposure).

No Information

Aspiration hazard.

No Information

Primary Route(s) of Entry

No Information

12. Ecological Information**Toxicity.**

5.01% of the mixture consists of ingredient(s) of unknown aquatic toxicity

Ecotoxicity effects.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Pine Oil 8002-09-3	-	-	EC50 48 h Daphnia magna 17 - 28 mg/L
BENZENE, 1,1'-OXYBIS- 101-84-8	-	LC50 96 h Pimephales promelas 4 mg/L, LC50 96 h Pimephales promelas 4 - 7.9 mg/L	LC50 48 h Daphnia magna 0.11 - 1.1 mg/L
BENZYL BENZOATE 120-51-4	-	LC50 96 h Danio rerio 2.32 mg/L	-
AMYL ACETATE 628-63-7	-	LC50 96 h Lepomis macrochirus 650 mg/L	-
SODIUM LAURYL SULFATE 151-21-3	EC50 72 h Desmodosmus subspicatus 53 mg/L, EC50 96 h Desmodosmus subspicatus 30 - 100 mg/L, EC50 96 h Pseudokirchneriella subcapitata 117 mg/L, EC50 96 h Pseudokirchneriella subcapitata 3.59 - 15.6 mg/L	LC50 96 h Pimephales promelas 15 - 18.9 mg/L, LC50 96 h Pimephales promelas 8 - 12.5 mg/L, LC50 96 h Pimephales promelas 22.1 - 22.8 mg/L, LC50 96 h Oncorhynchus mykiss 4.3 - 8.5 mg/L, LC50 96 h Oncorhynchus mykiss 4.62 mg/L, LC50 96 h Oncorhynchus mykiss 4.2 mg/L, LC50 96 h Brachydanio rerio 7.97 mg/L, LC50 96 h Brachydanio rerio 9.9 - 20.1 mg/L, LC50 96 h Lepomis macrochirus 4.06 - 5.75 mg/L, LC50 96 h Lepomis macrochirus 4.2 - 4.8 mg	EC50 48 h Daphnia magna 1.8 mg/L

Persistence and degradability.

No data are available on the product itself.

Bioaccumulative potential.

Discharge into the environment must be avoided.

CAS-No.	Chemical Name	log POW
101-84-8	BENZENE, 1,1'-OXYBIS-	4.21
120-51-4	BENZYL BENZOATE	3.97
151-21-3	SODIUM LAURYL SULFATE	1.6

Mobility in soil.

No information

Other adverse effects.

No information

13. Disposal Considerations**Waste Disposal Guidance.**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT

Shipping Name: not regulated

IMDG

Proper Shipping Name: not regulated

IATA

Proper Shipping Name: not recommended for air transport

15. Regulatory Information

International Inventories:

TSCA	Complies
DSL	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	-
IECSC	-
KECI	-
PICCS	Complies
AIIC	Complies
NZIoC	-
TCSI	
TSCA	United States Toxic Substances Control Act Section 8(b) Inventory.
DSL	Canadian Domestic Substances List.
DSL/NDSL	Canadian Domestic Substances List/Canadian Non-Domestic Substances List
EINECS/ELINCS	European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.
ENCS	Japan Existing and New Chemical Substances.
IECSC	China Inventory of Existing Chemical Substances.
KECL	Korean Existing and Evaluated Chemical Substances.
PICCS	Philippines Inventory of Chemicals and Chemical Substances.
AIIC	Australian Inventory of Chemical Substances.
NZIoC	New Zealand Inventory of Chemicals.
TCSI	Taiwan Chemical Substance Inventory

U.S. Federal Regulations:

SARA SECTION 313:

This product does not contain any chemicals that are subject to the reporting requirements of SARA 313.

TOXIC SUBSTANCES CONTROL ACT 12(b):

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:.

<u>Chemical Name</u>	<u>CAS-No.</u>
Acetaldehyde	75-07-0

ADDITIONAL INFORMATION

Additional Information - Sxn 15: No Information

CALIFORNIA PROPOSITION 65 CARCINOGENS**WARNING**

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:.

Chemical Name

Acetaldehyde
Ethylene oxide

CAS-No.

75-07-0
75-21-8

CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS**WARNING**

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

Chemical Name

Ethylene oxide

CAS-No.

75-21-8

16. Other Information

Revision Date: 10/17/2022 **Supersedes Date:** 4/4/2022

Reason for revision: Revision Description Changed
Substance and/or Product Properties Changed in Section(s):
01 - Product Information
12 - Ecological Information
14 - Transportation Information
15 - Regulatory Information

Datasheet produced by: Regulatory Department

HMIS Ratings:

Health:	0	Flammability:	0	Physical Hazard:	0	Personal Protection:	X
----------------	---	----------------------	---	-------------------------	---	-----------------------------	---

NFPA Ratings:

Health:	0	Flammability:	0	Instability:	0	Physical & Chemical:	-
----------------	---	----------------------	---	---------------------	---	---------------------------------	---

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.